KAYLA REAY PICNIC QUILT

68"X 68"





FEATURING FABRICS FROM



FABRIC REQUIREMENTS

Quilt size 68"x 68"

Fabric SKU	Fabric SKU	Inches	Metric
	DV6456		tryptic panel
	DV6457		tryptic panel
	DV6458		tryptic panel
	DV2945	23 1/2"	60CM WOF
	DV2948	23 1/2"	60CM WOF
	DV2957	23 1/2"	60CM WOF
	DV2827	45"	115CM WOF
	DV2864	9" X 22"	25cm x 50CM
	DV2997	9" X 22"	25cm x 50CM
	DV2844	9" X 22"	25cm x 50CM
	DV2879	9" X 22"	25cm x 50CM
	DV2839	9" X 22"	25cm x 50CM


OPTIONAL CARRY STRAPS

DV037



2 sets of metal D rings 38mm

BACKING



DV5346	85"	215CM	
DVN2000	85"	215CM	
OPTIONAL Metallic clasp or velcro for flap closure			

20"



50cm WOF

CUTTING INSTRUCTIONS

Cut each of the 9 panel blocks to 13 1/2" x 13 1/2"

From the pink dot DV2945 cut

- 6 20 ¹/₂" x 4" strips
- 6 13 ¹/₂" x 4" strips

From the blue dot DV2948 cut

- 6 20 ¹/₂" x 4" strips
- 6 13 ½" x 4" strips

From the seafoam dot DV2957 cut

- 6 20 1/2" x 4" strips
- 6 13 ¹/₂" x 4" strips

From the black check DV2827 cut

24 2 1/2" x 20 1/2" strips

1 16 1/2" x 12 1/2" rectangle

***NOTE:** Cut along the check lines as straight as possible, taking care to follow the pattern lines for an even finish once sewn.

From the blue check DV2864 cut

3 2 1/2" x 2 1/2" squares

From the green check DV2979 cut 4 2 ¹/₂" x 2 ¹/₂" squares

From the red check DV2844 cut $2 \frac{1}{2}$ " x 2 $\frac{1}{2}$ " squares

From the pink check DV2997 cut $2 \frac{1}{2}$ " x 2 $\frac{1}{2}$ " squares

From the yellow check DV2839 cut 3 2 1/2" x 2 1/2" squares

For the straps - optional

Cut 3×16 cm (6 1/4") strips down the length of fabric.



Please read through the pattern instructions in full before you commence sewing. 1/4" seam allowance is used throughout, unless otherwise stated. Refer to the front cover quilt image for guidance on block layout and fabric placement.

Sew your blocks by adding two 20 1/2" strips and two 13 1/2" strips to the sides of the panel block as shown in the diagram. Repeat for all 9 blocks.



Sew your black check sashing strips and check squares together in rows of 4 squares and 3 strips as shown.

Make 4 rows, mixing up the order of the coloured squares in each row.



Join your panel blocks by adding black sashing strips to the sides of your blocks as shown, making 3 rows of 3 blocks.





Add the 4 rows of sashing and square combined strips to combine the rows.

Press.

Add wadding and backing to the the 16 $\frac{1}{2}$ " black check rectangle. This will be the flap used to secure the quilt when rolled up.

Layer your quilt top, wadding and backing and glue baste together. Quilt using your preferred method, leaving a generous overhang of fabric to binding using the rollover method.

Bind your quilt and rectangular flap using the rollover binding method with your excess backing.

Attach the rectangular flap to the base of the quilt, securing it into the binding as you go.





Add a magnetic clasp, or velcro, to the underside of the flap and line up the back of the quilt when folded to attach the other side of the clasp to secure the folded quilt.

OPTIONAL CARRY STRAPS

Make your straps by taking the strap fabric strips and folding them lengthways towards the centre, then folding again. Press.

Sew down each side of your straps to secure.

Attach your D rings to the end of two of the straps.

Fold over and create a loop at both ends of the third strap.

feed your D ring straps through each loop of the carry strap. Secure your straps around your rolled quilt and enjoy your new carry strap.













Two Green Zebras Worldwide Distributor of Devonstone Collection

www.twogreenzebras.com sales@twogreenzebras.com @2greenzebras @devonstone_collection